



# Service Tools



M31-2060  
60 CM

**30** years  
GARANTIA - GUARANTEE

Toplam enine rahatsız kopya  
Apantat bolagatı olub.  
Total thickness of the  
in millimeter position



0.2mm/m (0.0079)  
Normal pozisyon  
0.7mm/m (0.043)  
Ters pozisyon  
in millimeter position

HASSASLIYET / TOLERANSES



# 2006



# Ceta Form Service Tools


## Automotive-Maintenance-Measuring Tools

### N16-01 Valve Spring Compressor

New

- Application** : For removal and fitting of valve springs.  
**Material** : Strong tension resistant steel body, durable mat chrome plated.  
**Handle** : High quality plastic grip.  
**Features (+)** : Screw adjustment model.



CODE NO	L mm	Capacity		
N16-0101	300	75-225 mm	1200	1



### N16-10 Piston Ring Compressors

New

- Application** : To hold piston rings steady in their positions while inserting the pistons into the cylinders.  
**Material** : High quality flexible sheet steel.  
**Features (+)** : Ratchet mechanism.  
 Supplied with key.



CODE NO	L mm	Capacity		
N16-1001	75	57-125 mm	234	1
N16-1002	75	90-175 mm	266	1
N16-1003	100	57-125 mm	254	1
N16-1004	100	90-175 mm	295	1
N16-1005	160	90-175 mm	491	1




### N16-11 Piston Ring Expanders

New

- Application** : For assembling and dismantling piston rings.  
**Material** : Strong tension resistant steel body, bright nickel plated.  
**Handle** : High quality plastic grips.

CODE NO	L mm	Capacity		
N16-1110	75	50 - 100 mm	260	1
N16-1116	75	110 - 160 mm	361	1



**N14-05 Strap Wrench for Oil Filters**

- Application** : For removal of oil filters in car engines.  
**Material** : Special tool steel body, mat chrome plated.  
 High-strength fabric strap.  
**Handle** : High quality plastic handle.

CODE NO	Ø max mm	← mm →		
N14-051	160	160	305	1


**N14-06 Metallic Strap Wrench for Oil Filters**


- Application** : For removal of oil filters in car engines.  
**Material** : Casted body, high-strength steel strap.  
**Features (+)** : Integrated adjustment knob.

CODE NO	Ø mm		
N14-06	60-100	110	1


**N23-01 Cross Type Wheel Nut Wrenches**

- Application** : For removal and insertion of wheel nuts in cars and light industrial vehicles.  
**Material** : Chrome-vanadium steel, super fine chrome plated.  
**Features (+)** : N23-012 is with integrated 1/2" drive socket holder.  
**Standard** : DIN 3119, ISO 6788.

CODE NO	← mm →			
N23-011	405	17x19x21x22	1500	1
N23-012	405	17x19x22x1/2"	1500	1


**N23-07 Tyre Levers**

- Application** : For removing wheels from tyres.  
**Material** : Hot drop forged, precision hardened and tempered chrome-vanadium steel, chrome plated.  
**Features (+)** : Double T-section for ultimate resistance.

CODE NO	← mm →		
N23-0730	300	320	6
N23-0740	400	475	6
N23-0750	500	740	6
N23-0760	600	1075	6





# Ceta Form Service Tools


## Automotive-Maintenance-Measuring Tools

### R01 Professional Hand Riveter

**Application** : For riveting aluminium, steel and stainless steel rivets up to 5 mm.  
**Material** : High grade aluminium casted body, forged steel handle.  
**Handle** : High quality plastic handle.  
**Features (+)** : Spring loaded handles that open the riveter automatically.  
 4 interchangeable nosepieces.



CODE NUMBER		a mm	b mm		
Art.	L mm				
R01	260	11	78	260	1

✓ Art No. - L mm = your order code (i.e.: R01-260)




### R02 Professional Swivel Hand Riveter

**Application** : For riveting aluminium, steel and stainless steel rivets up to 5 mm.  
**Material** : High grade aluminium casted body, forged steel handle.  
**Handle** : High quality plastic handle.  
**Features (+)** : 360° swivel head that allows use in any angle.  
 Spring loaded handles that open the riveter automatically.  
 4 interchangeable nosepieces.



CODE NUMBER		a mm	b mm		
Art.	L mm				
R02	280	9	79	757	1

✓ Art No. - L mm = your order code (i.e.: R02-280)



### R05 Metallic Oil Cans

**Application** : For various lubrication tasks.  
**Material** : Rigid sheet steel body, electrostatic mat powder coated.  
**Handle** : Integrated metallic handle.  
**Features (+)** : Flexible spout.



CODE NUMBER			
Art.	cc		
R05	200	196	10
R05	300	230	10
R05	500	240	10
R05	1000	377	6

✓ Art No. - cc = your order code (i.e.: R05-300)




### R08 Lever Operated Grease Gun

**Application** : For use with grease cartridges or to be filled from bulk containers.  
**Material** : Rigid sheet steel body, electrostatic mat powder coated.  
**Handle** : High quality plastic handle.  
**Features (+)** : 400 bar feed pressure.  
**Standard** : DIN 1284.

CODE NUMBER		L mm		
Art.	cc			
R08	500	540	1324	1

✓ Art No. - cc = your order code (i.e.: R08-500)



**R10 LED Inspection Lamp**

**New**


- Application** : For mobile lightning purpose in garages, workshops etc.
- Material** : High impact resistant, dual color reinforced plastic casing.
- Features (+)** : LED technology for a true "XENON" effect, 30 leds.  
 Theoretical LED service life: 50.000 hours.  
 Integrated hook for hanging the lamp.  
 Mains power supply 230 V.  
 Supplied with a fast-charger stand.







<b>CODE NO</b>		
R10-30	480	1

**4000M/1000 Flex. Magnetic Pickup Screwdriver**

- Application** : For working in hard to reach areas to collect or place metal parts.
- Shaft** : Chrome plated flexible shaft keeping desired shape with magnetic power.
- Handle** : Ergonomic, heavy duty ToreX® handle.
- Info** : F=Lifting capacity (g).






<b>CODE NO</b>	<b>F</b>				
4000M/1000	1000	410	95 x 31	173	6

**R40 Steel Wire Brush (wooden handle)**

**New**

- Material** : Brushes made of steel wire.
- Handle** : High quality wooden handle.
- Features (+)** : 4 rows.






<b>CODE NO</b>			
R40-4	275	91	12

**R41 Steel Wire Brush (plastic handle)**

**New**

- Material** : Brushes made of steel wire.
- Handle** : High quality plastic handle.



<b>CODE NO</b>			
R41-1	270	145	12

# Ceta Form Service Tools



## Automotive-Maintenance-Measuring Tools

### PG411 Short Tape Measures

New

- Application** : For metric measurement in various trades.  
**Material** : Heat treated high grade carbon steel blade, high quality ABS housing.  
**Features (+)** : EEC class 2 accuracy.  
 Powerful double-lock mechanism.  
 Built-in shock absorber and blade protector for 19 mm and 25 mm blade widths.  
 Integrated belt clips.





CODE NO	m	mm		
PG411163	3	16	88	12
PG411195	5	19	164	12
PG411255	5	25	200	12

### 29000 Long Tape Measures

New

- Application** : For metric measurement especially in outside applications.  
**Material** : Heat treated high grade carbon steel blade, light weight aluminium frame construction, high quality cellulose acetate plastic handle.  
**Features (+)** : EEC class 2 accuracy.  
 Ergonomic revolver handle with folding winder.  
 Loop with retractable claw.





CODE NO	m	mm		
29010	10	13	362	1
29020	20	13	489	1
29030	30	13	609	1
29050	50	13	882	1

### 29100 Tank Dipping Tape Measures

New


- Application** : For metric measurement of liquids, etc. in tanks and silos.  
**Material** : Heat treated stainless steel blade, light weight aluminium frame construction, high quality cellulose acetate plastic handle.  
**Features (+)** : EEC class 2 accuracy.  
 Ergonomic revolver handle with folding winder.  
 Loop with retractable claw.  
 Supplied with 29100D dipping weight.



CODE NO	m	mm		
29110	10	13	882	1
29120	20	13	1072	1

#### 29100D Dipping Weight

For 29100 series tape measures  
 Material: Brass Length: 12 mm



## CF/600 Aluminium Spirit Levels

- Application** : For leveling in construction and various other trades.
- Material** : 1.70 mm rigid aluminium construction, high quality ABS plastic caps, acrylic vials.
- Features (+)** : Ultrasonic welded vials safeguarding against leakage for tens of years.  
Accuracy 0.50 mm/m in normal position, 0.75 mm/m when used upside down.  
One horizontal and one vertical vial.



CODE NO	mm	Base Width mm		
CF/601	300	23.4	218	12
CF/602	400	23.4	276	12
CF/603	500	23.4	318	12
CF/604	600	23.4	373	12
CF/605	700	23.4	426	12
CF/606	800	23.4	490	12
CF/607	1000	23.4	590	12

## PG410 Metric Feeler Gauge

- Application** : For fine adjustment of gap thickness especially in automotive and tooling industry.
- Material** : High quality steel.
- Features (+)** : Sizes from 0.05 mm to 1.00 mm.

CODE NO	# of Blades	WxL mm		
PG410020	20 leaves	10x100	94	6

