

Ceta Form Tool Containers & Assortments

Smart service solutions

A50IM-79 79 Piece Industrial Maintenance Kit



Pcs.	Description	Art. no.	Page
5	C-Plus slotted screwdrivers, 3.0x75; 4.0x100; 5.5x125; 6.5x150; 8x175 mm	F10	14
2	C-Plus Phillips screwdrivers, PH1x80; PH2x100 mm	F14	15
1	2K combination pliers, 180 mm	E01	42
1	2K diagonal cutter, 160 mm	E06	42
1	2K snipe nose pliers, 160 mm	E15	44
1	2K wire stripping pliers, 160 mm	E25	46
1	2K water pump pliers, 250 mm	E30	47
1	Lock-Grip pliers (concave jaws), 240 mm	E50	50
1	Outside circlip pliers, straight, 180 mm	E65	52
1	Outside circlip pliers, bent, 180 mm	E66	52
1	Inside circlip pliers, straight, 180 mm	E67	53
1	Inside circlip pliers, bent, 180 mm	E68	53
21	Combination wrenches, 6; 7; 8; 9; 10; 11; 12; 13; 14; 15; 16; 17; 18; 19; 20; 21; 22; 24; 27; 30; 32 mm	B01	84
1	Adjustable wrench, 250 mm	B21	88
18	1/2" drive hexagon sockets, 8; 9; 10; 11; 12; 13; 14; 15; 16; 17; 18; 19; 21; 22; 24; 27; 30; 32 mm	C22-H	108
2	1/2" drive spark plug sockets, 16; 21 mm	C27-R	109
1	1/2" drive reversible ratchet, 245 mm	C21-11	112
2	1/2" drive extension bars, 125; 250 mm	C21-70	113
1	1/2" drive universal joint	C21-80	113
1	3/8" drive adaptor, 3/8" - 1/2"	C11-92	113
1	Tinman's snip, 250 mm	J06	121
1	Multi-purpose cutter, 190 mm	J17	122
1	Professional hacksaw, 300 mm	J30	123
1	2K auto-feed utility knife, 18 mm	J45-01	127
1	Engineer's hammer, 500g	L01	134
1	Soft face hammer, 40 mm	L12	135
1	Cross cut chisel, 125 mm	L28	136
2	Cold flat chisels, 125; 150 mm	L27	136
1	Center punch, 4 mm	L29	136
1	Drift punch, 3 mm	L30	137
1	Pin punch, 4 mm	L31	137
1	Metallic oil can, 300 cc	R05	142
1	Short tape measure, 5x19 mm	PG411	144
1	Feeler gauge, 20 leaves	PG410	145

Upgrade Kits

- ✓ If you would like to upgrade the basic kit to basic plus kit, use the item code **UPGA50IM79-151**.
- ✓ If you would like to upgrade the basic kit to master mechanic kit, use the item code **UPGA50IM79-215**.
- ⊘ When you order upgrade kits the relevant items will be shipped to you as a set.




- ✓ If you would like to order the basic kit with GT-PLUS roller cabinet A01-06, please use the item code **A50IM-79A01**.



- ✓ If you would like to order the basic kit with GT roller cabinet A02-06, please use the item code **A50IM-79A02**.



- ✓ If you would like to order basic kit with Mobile Workbench GT A03-06, please use the item code **A50IM-79A03**.

A50IM-151 151 Piece Industrial Maintenance Kit


Pcs.	Description	Art.no.	Page
5	C-Plus slotted screwdrivers, 3.0x75; 4.0x100; 5.5x125; 6.5x150; 8x175 mm	F10	14
1	C-Plus stubby slotted screwdrivers, 5.5x025 mm	F13	14
4	C-Plus Phillips screwdrivers, PH0x60; PH1x80; PH2x100; PH3x150 mm	F14	15
1	C-Plus Pozidriv screwdrivers, PZ2x100 mm	F17	15
1	C-Plus stubby Phillips screwdrivers, PH2x025 mm	F16	15
1	Bit holder socket, 1/4" - 1/4"	BT/8001	33
1	2K combination pliers, 180 mm	E01	42
1	2K diagonal cutter, 160 mm	E06	42
1	2K snipe nose pliers, 160 mm	E15	44
1	2K wire stripping pliers, 160 mm	E25	46
1	2K water pump pliers, 250 mm	E30	47
1	Lock-Grip pliers (concave jaws), 240 mm	E50	50
1	Outside circlip pliers, straight, 180 mm	E65	52
1	Outside circlip pliers, bent, 180 mm	E66	52
1	Inside circlip pliers, straight, 180 mm	E67	53
1	Inside circlip pliers, bent, 180 mm	E68	53
1	VDE approved voltage tester	6106	62
4	Micro slotted screwdrivers, 1.5x60; 2.0x80; 2.5x80; 3.0x80 mm	H01	73
2	Micro Phillips screwdrivers, PH00x60; PH0x60 mm	H02	73
1	Micro diagonal cutter, 120 mm	H30	76
1	Micro combination pliers, 125 mm	H32	76
1	Micro long nose pliers, 130 mm	H33	76
1	Straight tweezer	H41	77
21	Combination wrenches, 6; 7; 8; 9; 10; 11; 12; 13; 14; 15; 16; 17; 18; 19; 20; 21; 22; 24; 27; 30; 32 mm	B01	84
12	Double open end wrenches, 06x07; 08x09; 10x11; 12x13; 14x15; 16x17; 18x19; 20x22; 21x23; 24x26; 25x28; 30x32 mm	B09	86
1	Adjustable wrench, 250 mm	B21	88
9	Hexagonal keys, 1.5; 2.0; 2.5; 3.0; 4.0; 5.0; 6.0; 8.0; 10.0 mm	L	90
7	2K T-Handle hex. keys, 2.0; 2.5; 3.0; 4.0; 5.0; 6.0; 8.0 mm	K10	93
12	1/4" drive hexagon sockets, 4; 4.5; 5; 5.5; 6; 7; 8; 9; 10; 11; 12; 13 mm	C02-H	100
1	1/4" drive reversible ratchet, 145 mm	C01-11	102
1	1/4" drive spinner handle, 150 mm	C01-20	102
2	1/4" drive extension bars, 50; 100 mm	C01-70	103
1	1/4" drive universal joint	C01-80	103
1	3/8" drive adaptor, 3/8" - 1/4"	C11-91	103
18	1/2" drive hexagon sockets, 8; 9; 10; 11; 12; 13; 14; 15; 16; 17; 18; 19; 21; 22; 24; 27; 30; 32 mm	C22-H	108
2	1/2" drive spark plug sockets, 16; 21 mm	C27-R	109
1	1/2" drive reversible ratchet, 245 mm	C21-11	112
2	1/2" drive extension bars, 125; 250 mm	C21-70	113
1	1/2" drive universal joint	C21-80	113
1	3/8" drive adaptor, 3/8" - 1/2"	C11-92	113
1	Tinman's snip, 250 mm	J06	121
1	Multi-purpose cutter, 190 mm	J17	122
1	Professional hacksaw, 300 mm	J30	123
1	2K auto-feed utility knife, 18 mm	J45-01	127
2	Flat files, bastard/second cut, 200 mm	J55	128
1	Half-Round file, bastard, 200 mm	J56	129
1	Round file, bastard, 200 mm	J57	129
1	Square file, bastard, 200 mm	J58	129
1	Engineer's hammer, 500g	L01	134
1	Soft face hammer, 40 mm	L12	135
2	Cold flat chisels, 125; 150 mm	L27	136
1	Cross cut chisel, 125 mm	L28	136
1	Center punch, 4 mm	L29	136
1	Drift punch, 3 mm	L30	137
1	Pin punch, 4 mm	L31	137
1	Metallic oil can, 300 cc	R05	142
1	Professional hand riveter, 260 mm	R01	142
1	LED inspection lamp	R10	143
1	Flexible magnetic pickup screwdriver	4000M/1000	143
1	Steel wire brush (wooden handle)	R40	143
1	Short tape measure, 5x19 mm	PG411	144
1	Feeler gauge, 20 leaves	PG410	145

Upgrade Kit

✓ If you would like to upgrade the basic plus kit to master mechanic kit, use the item code **UPGA50IM151-215**.

⊘ When you order upgrade kits the relevant items will be shipped to you as a set.



✓ If you would like to order the basic kit with GT-PLUS roller cabinet A01-06, please use the item code **A50IM-151A01**.

✓ If you would like to order the basic kit with GT roller cabinet A02-06, please use the item code **A50IM-151A02**.


✓ If you would like to order basic kit with Mobile Workbench GT A03-06, please use the item code **A50IM-151A03**.

Ceta Form Tool Containers & Assortments


Smart service solutions

A50IM-215 215 Piece Industrial Maintenance Kit

Master
Mechanic



Industrial
Maintenance



Pcs.	Description	Art.no.	Page	Pcs.	Description	Art.no.	Page
5	C-Plus slotted screwdrivers, 3.0x75; 4.0x100; 5.5x125; 6.5x150; 8x175 mm	F10	14	2	1/2" drive extension bars, 125; 250 mm	C21-70	113
1	C-Plus stubby slotted screwdrivers, 5.5x025 mm	F13	14	1	1/2" drive universal joint	C21-80	113
4	C-Plus Phillips screwdrivers, PH0x60; PH1x80; PH2x100; PH3x150 mm	F14	15	1	3/8" drive adaptor, 3/8" - 1/2"	C11-92	113
1	C-Plus Pozidriv screwdrivers, PZ2x100 mm	F17	15	1	1/2" torque wrench 30-210 Nm	D01-21	114
1	VDE approved voltage tester			10	3/4" drive sockets, 22; 24; 27; 30; 32; 36; 38; 41; 46; 50 mm	C32-H	116
1	C-Plus stubby Phillips screwdrivers, PH2x025 mm	F16	15	1	3/4" drive reversible ratchet	C31-11	116
3	Slotted bits, 4.0x025; 5.5x025; 6.5x025 mm	CB/610	28	1	3/4" drive sliding T-handle	C31-40	116
4	Phillips bits, PH0x025; PH1x025; PH2x025; PH3x025 mm	CB/250	28	1	3/4" drive extension bars	C31-76	117
1	Phillips bits (reduced diameter), PH2x025 mm	CB/260	28	1	3/4" drive extension bars	C31-78	117
4	Pozidriv bits, PZ0x025; PZ1x025; PZ2x025; PZ3x025 mm	CB/350	28	1	Tinman's snip, 250 mm	J06	121
6	Hexagonal bits, 2.0x025; 2.5x025; 3.0x025; 4.0x025; 5.0x025; 6.0x025 mm	CB/1800	29	1	Multi-purpose cutter, 190 mm	J17	122
9	TORX® bits, T8; T9; T10; T15; T20; T25; T27; T30; T40	CB/800	29	1	Professional hacksaw, 300 mm	J30	123
3	XZN bits, M5; M6; M8	CB/850	30	1	2K auto-feed utility knife, 18 mm	J45-01	127
3	TORQ-SET® bits, TS6; TS8; TS10	CB/850	30	2	Flat files, bastard/second cut, 200 mm	J55	128
3	TRI-WING® bits, TW1; TW2; TW3	CB/850	30	1	Half-Round file, bastard, 200 mm	J56	129
1	Universal bit holder	CB/870	30	1	Round file, bastard, 200 mm	J57	129
1	Bit holder socket, 1/4" - 1/4"	BT/02	33	1	Square file, bastard, 200 mm	J58	129
1	Adaptor for sockets	BT/8001	33	1	Engineer's hammer, 500g	L01	134
1	C-Plus bitsholder	BT/7010	33	1	Soft face hammer, 40 mm	L12	135
1	Ratchet for bits	F26/BT	35	1	Cross cut chisel, 125 mm	L28	136
1	2K combination pliers, 180 mm	F26/R	35	2	Cold flat chisels, 125; 150 mm	L27	136
1	2K diagonal cutter, 160 mm	E01	42	1	Center punch, 4 mm	L29	136
1	2K snipe nose pliers, 160 mm	E06	42	1	Drift punch, 3 mm	L30	137
1	2K wire stripping pliers, 160 mm	E15	44	1	Pin punch, 4 mm	L31	137
1	2K water pump pliers, 250 mm	E25	46	1	Metallic oil can, 300 cc	R05	142
1	Pipe wrench swedish style 90°, 425 mm	E30	47	1	Professional hand riveter, 260 mm	R01	142
1	Lock-Grip pliers (concave jaws), 240 mm	I01	48	1	LED inspection lamp	R10	143
1	Outside circlip pliers, straight, 180 mm	E50	50	1	Flexible magnetic pickup screwdriver	4000M/1000	143
1	Outside circlip pliers, bent, 180 mm	E65	52	1	Steel wire brush (wooden handle)	R40	143
1	Inside circlip pliers, straight, 180 mm	E67	53	1	Short tape measure, 5x19 mm	PG411	144
1	Inside circlip pliers, bent, 180 mm	E68	53	1	Feeler gauge, 20 leaves	PG410	145
4	Micro slotted screwdrivers, 1.5x60; 2.0x80; 2.5x80; 3.0x80 mm	H01	73				
2	Micro Phillips screwdrivers, PH00x60; PH0x60 mm	H02	73				
1	Micro diagonal cutter, 120 mm	H30	76				
1	Micro combination pliers, 125 mm	H32	76				
1	Micro long nose pliers, 130 mm	H33	76				
1	Straight tweezer	H41	77				
21	Combination wrenches, 6; 7; 8; 9; 10; 11; 12; 13; 14; 15; 16; 17; 18; 19; 20; 21; 22; 24; 27; 30; 32 mm	B01	84				
12	Double open end wrenches, 06x07; 08x09; 10x11; 12x13; 14x15; 16x17; 18x19; 20x22; 21x23; 24x26; 25x28; 30x32 mm	B09	86				
8	Double ended offset ring wrench, 06x07; 08x09; 10x11; 12x13; 14x15; 16x17; 18x19; 20x22 mm	B14	87				
1	Adjustable wrench, 250 mm	B21	88				
9	Hexagonal keys, 1.5; 2.0; 2.5; 3.0; 4.0; 5.0; 6.0; 8.0; 10.0 mm	L	90				
7	2K T-Handle hex. keys, 2.0; 2.5; 3.0; 4.0; 5.0; 6.0; 8.0 mm	K10	93				
12	1/4" drive hexagon sockets, 4; 4.5; 5; 5.5; 6; 7; 8; 9; 10; 11; 12; 13 mm	C02-H	100				
1	1/4" drive reversible ratchet, 145 mm	C01-11	102				
1	1/4" drive spinner handle, 150 mm	C01-20	102				
2	1/4" drive extension bars, 50; 100 mm	C01-70	103				
1	1/4" drive universal joint	C01-80	103				
1	3/8" drive adaptor, 3/8" - 1/4"	C11-91	103				
18	1/2" drive hexagon sockets, 8; 9; 10; 11; 12; 13; 14; 15; 16; 17; 18; 19; 21; 22; 24; 27; 30; 32 mm	C22-H	108				
2	1/2" drive spark plug sockets, 16; 21 mm	C27-R	109				
1	1/2" drive reversible ratchet, 245 mm	C21-11	112				



✓ If you would like to order the master mechanic kit with GT-PLUS roller cabinet A01-06 + A06-04, please use the item code **A50IM-215A01.**



✓ If you would like to order the master mechanic kit with GT roller cabinet A02-06 + A06-04, please use the item code **A50IM-215A02.**

A50CR-100 100 Piece Car Repair Kit


Pcs.	Description	Art.no.	Page
5	C-Plus slotted screwdrivers, 3.0x75; 4.0x100; 5.5x125; 6.5x150; 8x175 mm	F10	14
2	C-Plus Phillips screwdrivers, PH1x80; PH2x100 mm	F14	15
1	2K combination pliers, 180 mm	E01	42
1	2K diagonal cutter, 160 mm	E06	42
1	2K snipe nose pliers, 160 mm	E15	44
1	2K wire stripping pliers, 160 mm	E25	46
1	2K water pump pliers, 250 mm	E30	47
1	Lock-Grip pliers (concave jaws), 240 mm	E50	50
1	Outside circlip pliers, straight, 180 mm	E65	52
1	Outside circlip pliers, bent, 180 mm	E66	52
1	Inside circlip pliers, straight, 180 mm	E67	53
1	Inside circlip pliers, bent, 180 mm	E68	53
17	Combination wrenches, 6; 7; 8; 9; 10; 11; 12; 13; 14; 15; 16; 17; 18; 19; 20; 21; 22 mm	B01	84
12	Double open end wrenches, 06x07; 08x09; 10x11; 12x13; 14x15; 16x17; 18x19; 20x22; 21x23; 24x26; 25x28; 30x32 mm	B09	86
1	Adjustable wrench, 250 mm	B21	88
9	Hexagonal keys, 1.5; 2.0; 2.5; 3.0; 4.0; 5.0; 6.0; 8.0; 10.0 mm	L	90
7	2K T-Handle hex. keys, 2.0; 2.5; 3.0; 4.0; 5.0; 6.0; 8.0 mm	K10	93
18	1/2" drive hexagon sockets, 8; 9; 10; 11; 12; 13; 14; 15; 16; 17; 18; 19; 21; 22; 24; 27; 30; 32 mm	C22-H	108
2	1/2" drive spark plug sockets, 16; 21 mm	C27-R	109
1	1/2" drive reversible ratchet, 245 mm	C21-11	112
2	1/2" drive extension bars, 125; 250 mm	C21-70	113
1	1/2" drive universal joint	C21-80	113
1	3/8" drive adaptor, 3/8" - 1/2"	C11-92	113
1	Professional hacksaw, 300 mm	J30	123
1	Engineer's hammer, 500g	L01	134
1	Soft face hammer, 40 mm	L12	135
1	Cross cut chisel, 125 mm	L28	136
2	Cold flat chisels, 125; 150 mm	L27	136
1	Center punch, 4 mm	L29	136
1	Drift punch, 3 mm	L30	137
1	Pin punch, 4 mm	L31	137
1	Metallic oil can, 300 cc	R05	142
1	Flexible magnetic pickup screwdriver	4000M/1000	143
1	Feeler gauge, 20 leaves	PG410	145

Upgrade Kits

- ✓ If you would like to upgrade the basic kit to basic plus kit, use the item code **UPGA50CR100-158**.
- ✓ If you would like to upgrade the basic kit to master mechanic kit, use the item code **UPGA50CR100-273**.
- ⊖ When you order upgrade kits the relevant items will be shipped to you as a set.



- ✓ If you would like to order the basic kit with GT-PLUS roller cabinet A01-06, please use the item code **A50CR-100A01**.
- ✓ If you would like to order the basic kit with GT roller cabinet A02-06, please use the item code **A50CR-100A02**.
- ✓ If you would like to order basic kit with Mobile Workbench GT A03-06, please use the item code **A50CR-100A03**.


Ceta Form Tool Containers & Assortments

Smart service solutions

A50CR-158 158 Piece Car Repair Kit

Basic Plus

Car Repair



Pcs.	Description	Art.no.	Page
5	C-Plus slotted screwdrivers, 3.0x75; 4.0x100; 5.5x125; 6.5x150; 8x175 mm	F10	14
1	C-Plus stubby slotted screwdrivers, 5.5x025 mm	F13	14
4	C-Plus Phillips screwdrivers, PH0x60; PH1x80; PH2x100; PH3x150 mm	F14	15
1	C-Plus Pozidriv screwdrivers, PZ2x100 mm	F17	15
1	C-Plus stubby Phillips screwdrivers, PH2x025 mm	F16	15
7	C-Plus TORX® screwdrivers, T10; T15; T20; T25; T27; T30; T40	F18	16
1	Bit holder socket, 1/4" - 1/4"	BT/8001	33
1	2K combination pliers, 180 mm	E01	42
1	2K diagonal cutter, 160 mm	E06	42
1	2K snipe nose pliers, 160 mm	E15	44
1	2K wire stripping pliers, 160 mm	E25	46
1	2K water pump pliers, 250 mm	E30	47
1	Lock-Grip pliers (concave jaws), 240 mm	E50	50
1	Outside circlip pliers, straight, 180 mm	E65	52
1	Outside circlip pliers, bent, 180 mm	E66	52
1	Inside circlip pliers, straight, 180 mm	E67	53
1	Inside circlip pliers, bent, 180 mm	E68	53
1	VDE approved voltage tester	G106	62
21	Combination wrenches, 6; 7; 8; 9; 10; 11; 12; 13; 14; 15; 16; 17; 18; 19; 20; 21; 22; 24; 27; 30; 32 mm	B01	84
12	Double open end wrenches, 06x07; 08x09; 10x11; 12x13; 14x15; 16x17; 18x19; 20x22; 21x23; 24x26; 25x28; 30x32 mm	B09	86
1	Adjustable wrench, 250 mm	B21	88
9	Hexagonal keys, 1.5; 2.0; 2.5; 3.0; 4.0; 5.0; 6.0; 8.0; 10.0 mm	L	90
8	TORX® keys, T9; T10; T15; T20; T25; T27; T30; T40	700	91
7	2K T-Handle hex. keys, 2.0; 2.5; 3.0; 4.0; 5.0; 6.0; 8.0 mm	K10	93
7	2K T-Handle TORX® keys, T10; T15; T20; T25; T27; T30; T40	K12	94
12	1/4" drive hexagon sockets, 4; 4.5; 5; 5.5; 6; 7; 8; 9; 10; 11; 12; 13 mm	C02-H	100
1	1/4" drive reversible ratchet, 145 mm	C01-11	102
1	1/4" drive spinner handle, 150 mm	C01-20	102
2	1/4" drive extension bars, 50; 100 mm	C01-70	103
1	1/4" drive universal joint	C01-80	103
1	3/8" drive adaptor, 3/8" - 1/4"	C11-91	103
18	1/2" drive hexagon sockets, 8; 9; 10; 11; 12; 13; 14; 15; 16; 17; 18; 19; 21; 22; 24; 27; 30; 32 mm	C22-H	108
2	1/2" drive spark plug sockets, 16; 21 mm	C27-R	109
1	1/2" drive reversible ratchet, 245 mm	C21-11	112
2	1/2" drive extension bars, 125; 250 mm	C21-70	113
1	1/2" drive universal joint	C21-80	113
1	3/8" drive adaptor, 3/8" - 1/2"	C11-92	113
1	Timman's snip, 250 mm	J06	121
1	Multi-purpose cutter, 190 mm	J17	122
1	Professional hacksaw, 300 mm	J30	123
1	2K auto-feed utility knife, 18 mm	J45-01	127
1	Engineer's hammer, 500g	L01	134
1	Soft face hammer, 40 mm	L12	135
1	Cross cut chisel, 125 mm	L28	136
2	Cold flat chisels, 125; 150 mm	L27	136
1	Center punch, 4 mm	L29	136
1	Drift punch, 3 mm	L30	137
1	Pin punch, 4 mm	L31	137
1	Cross type wheel nut wrench, 17x19x21x22 mm	N23-011	141
1	Strap wrench for oil filter	N14-051	141
1	Metallic oil can, 300 cc	R05	142
1	LED inspection lamp	R10	143
1	Flexible magnetic pickup screwdriver	4000M/1000	143
1	Short tape measure, 5x19 mm	PG411	144
1	Feeler gauge, 20 leaves	PG410	145

Upgrade Kit

✓ If you would like to upgrade the basic plus kit to master mechanic kit, use the item code **UPGA50CR158-273**.

⊘ When you order upgrade kits the relevant items will be shipped to you as a set.



✓ If you would like to order the basic plus kit with GT-PLUS roller cabinet A01-06, please use the item code **A50CR-158A01**.



✓ If you would like to order the basic plus kit with GT roller cabinet A02-06, please use the item code **A50CR-158A02**.



✓ If you would like to order basic plus kit with Mobile Workbench GT A03-06, please use the item code **A50CR-158A03**.

Ceta Form Modular Merchandising Program

Clever sales concepts, increased turnover per sqm

S00 Self Service Merchandiser

Sales dispensers designed for the modern showrooms and sales points. Attractive presentation of the whole or part of the Ceta Form tools program.

Painted sheet steel construction, 1.8 mm thick interlocking panels which are electrostatic mat grey painted. The merchandisers come in unassembled form with installation manuals and are easy to install in minutes. Each stand can be joined to another.

Height : 217 cm Width : 100 cm Depth : 56 cm
Weight : 50 kg (empty)

Consists of:

- 7 steel pegboard panels 95 x 25 cm,
- 2 columns 217 cm high,
- 1 logo imprinted header 95 x 25 cm
- 1 base plate



S01 Illuminated Header



Designed to be mounted on S00 self-service merchandisers. If you would like to order S00 Self Service Merchandiser with illuminated header, please use the item code S00L.

S03 Pegboard Hook (metal)

For use on self service-merchandisers. Bright chrome plated.

Length : 150 mm Weight : 25 gr.
Package : 50 pieces



Patented















































S04 Empty Modular Rack (without slots)

Designed to be mounted on S00 self-service merchandisers. This unit is specifically designed for the display of pop-up display boxed units, sets, etc. Material: electrostatic mat black painted sheet steel





















Height : 60 mm Width : 960 mm Depth : 300 mm

✓ Please ask for our separate merchandising and display catalogue.






















Tool Selector

		Test torque		Metric Screws										Self Tapping Screws						Wood Screws							
				Flat head		Oval head		Cap		Pan head				Set screws		Flat head		Oval head		Pan head		Flat head	Ova head	Round head			
																											
				DIN 5263	DIN 5263	ISO 2009	DIN 963	ISO 2010	DIN 964	ISO 1207	DIN 84	ISO 1580	DIN 85	DIN 920	DIN 921	ISO 4766	DIN 417	ISO 1482	DIN 7972	ISO 1483	DIN 7973	ISO 1481	DIN 7971	DIN 97	DIN 95	DIN 96	
		Nm	Nm																								
																											
2,0 x 0,4	0,30	0,35										2,5	2,5									1,6		1,6			
2,5 x 0,4	0,40	0,42	1,6	1,6	1,6	1,6		1,6	1,6			2,5	1,6											1,6	2		
3,0 x 0,5	0,70	0,80	2	2	2	2		2	2			3	2	2,2	2,2	2,2	2,2	2,2				2	2				
3,5 x 0,6	1,30	1,40	2,5	2,5	2,5	2,5		2,5	2,5			4	2,5							2,2		2,5	2,5	2,5			
4,0 x 0,5*	-	1,10							2			3,5	2						2,2								
4,0 x 0,8	2,60	2,90	3	3	3	3			3	3		5	3	2,9	2,9	2,9	2,9	2,9	2,9		3	3	3				
4,5 x 0,6*	-	1,80							2,5			4	2,5							2,2				2,5			
5,5 x 0,8*	-	3,90			3,5	3,5			3	3		5	3						2,9	2,9				3,5			
5,5 x 1,0	5,50	6,20	3,5	4	3,5	4	3,5	4	3,5	3,5		6	4	3,5	3,5	3,5	3,5	3,5	3,5		4	4	4				
6,5 x 1,2	9,40	10,50	4	5	4	5	4	4						4,2	3,9	4,2	4,2				4,5	4,5	4,5				
8,0 x 1,2	11,50	12,90					5	5	4	4		8	5					4,8	4,2	4,2	5,5	5,5					
10,0 x 1,6	25,60	28,70					6	6	6	6		10	6					6,3	5,5	5,5	7	7					
12,0 x 2,0	48,0	53,80	8	8	8	8	8	8	8	8				8		8		6,3	6,3		8	8	7				

* Only for power tools

		Test torque		Metric Screws			Self Tapping Screws			Wood Screws			
				Flat head	Oval head	Pan head	Pan head	Flat head	Oval head	Pan head	Round head	Flat head	
													
				DIN 5261	DIN 5261	DIN 965	DIN 966	DIN 7985	DIN 7981	DIN 7982	DIN 7983	DIN 7995	DIN 7996
		Nm	Nm										
00	*	*	*	*	*	*	*	*	*	*	*	*	*
0	1	2	1,6	1,6	1,6						2	2	2
1	4	5	2,5	2,5	2	2,2	2,2	2,2	2,2	2,2	2,5	2,5	2,5
2	10	14	3	3	3	2,9	2,9	2,9	2,9	2,9	3	3	3
3	20	42	5	5	5	3,5	3,5	3,5	3,5	3,5	3,5	3,5	3,5
4	30	60	6	6	6	4,8	4,8	4,8	4,8	4,8	5	5	5
			5,5	5,5	5,5	5,5	5,5	5,5	5,5	5,5	5,5	5,5	5,5
			6,3	6,3	6,3	6,3	6,3	6,3	6,3	6,3	7	7	7
			8	8	8	8	8	8	8	8	8	8	8
			10	10	10	9,5	9,5	9,5	9,5	9,5	9,5	9,5	9,5


















* Special screws

		Test torque		Metric Screws						Self Tapping Screws		
				Cap	Flat head	Oval head	Cap	Oval pan head	Flat head	Oval head	Flat head	Oval head
												
				DIN 912	DIN 963	DIN 964	DIN 7984	DIN 7985	DIN 7991	DIN 7981	DIN 7972	DIN 7973
		Nm	Nm	ISO 4762	ISO 965	ISO 966	ISO 6912	ISO 7985	ISO 7991	ISO 7981	ISO 7982	ISO 7983
												
T5	1,42	0,43	0,51	*	*	*	*	*	*	*	*	*
T6	1,70	0,75	0,90	*	*	*	*	*	*	*	*	*
T7	1,99	1,40	1,70	*	*	*	*	*	*	*	*	*
T8	2,31	2,20	2,60	2,5	2,5	2,5						
T9	2,50	2,80	3,40									
T10	2,74	3,70	4,50	3	3	3	3	3	3	2,9	2,9	2,9
T15	3,27	6,40	7,70									
T20	3,86	10,50	12,70	3,5	3,5	3,5	3,5	3,5	3,5	3,5	3,5	3,5
T25	4,43	15,90	19,00	4	4	4	4	4	4	4,2	4,2	4,2
				5	5	5	5	5	5	4,8	4,8	4,8
				5,5	5,5	5,5	5,5	5,5	5,5	5,5	5,5	5,5
T27	4,99	22,50	26,90	**	**	**	**	**	**	**	**	**
T30	5,52	31,10	37,40	6	6	6	6	6	6	6,3	6,3	6,3
T40	6,65	54,10	65,10	8	8	8	8	8	8	8	8	8
T45	7,82	86,20	104,00	**	**	**	**	**	**	**	**	**



















* Special screws for reversible hard metal carbide boards

** Special screws

○ Hexagon Socket Screws

 	Test torque		Metric Screws					
			Cap	Cap	Counter sunk	Set screws		
								
	ISO 4762			ISO 4026	ISO 4027 4029	ISO 4028		
DIN 911 Nm	DIN 7426 Nm	DIN 912	DIN 7984	DIN 7991	DIN 913 916	DIN 914	DIN 915	
								
0,53		1,4				2,5	2,5	2,5
0,82	0,95	1,6-2				3	3	3
1,90	2,30	2,5	3	3	4	4	4	4
3,80	4,40	3	4	4	5	5	5	5
6,60	7,60	4	5	5	6	6	6	6
16,00	18,00	5	6	6	8	8	8	8
30,00	35,00	6	8	8	10	10	10	10
52,00	61,00	8		10	12	12	12	12
					14	14	14	14
78,00	97,00		10					
120,00	140,00	10	12	12	16	16	16	16
220,00	280,00	12	14	14	18	18	18	18
				16	20	20	20	20
370,00	480,00	14	16	18	22	22	22	22
			18	20	24	24	24	24
590,00		16	20	22				
		18	22	24				

● Hexagon Head Screws


 	Test torque	Metric Screws						Screws	
		Screws				Nuts		Self tapping	Wood screws
									
		ISO 4018	ISO 4016	ISO 4014	ISO 4017	ISO 4035 4036		ISO 1479	
DIN 899 Nm	DIN 558	DIN 601	DIN 931	DIN 933	DIN 439	DIN 934	DIN 7976	DIN 571	
									
2,5	-					1			
3	1,1					1,2			
						1,4			
3,2	1,3		1,6	1,6	1,6	1,6	2,2		
3,5	1,6				1,8	1,8			
4	2,4		2	2	2	2			
4,5	3,3			2,3					
5	4,4		2,5	2,5	2,5	2,5	2,9		
5,5	5,8		3	3	3	3	3,5		
6	7,4		3,5	3,5	3,5	3,5			
7	11,4		4	4	4	4	3,9	4	
							4,2		
8	16,6	5	5	5	5	5	4,8	5	
							5,5		
9	23,0								
10	31,0	6	6	6	6	6	6,3	6	
11	40,4		7	7		7			
12	51,5							7	
13	64,5	8	8	8	8	8	8	8	
14	79,4		-	-	-	-	-	-	

Symbols and Explanations

ISO International standard

DIN German standard

 Metric screws Thread diameter

 Set screw metric Thread diameter

 Metric nut Thread diameter

 Self tapping screws Thread diameter

 Wood screws Thread diameter